



Since 1954

Motorcycle Trailers



With a Wells Cargo Behind . . . You Never Look Back!™

SE



SE Series Includes:

- Fiberglass End Caps
- Radius Roof with Extruded Anodized Aluminum Cove
- Standard SmartFrame™ Design* (*higher platform height*)
- Spring-Assisted Rear Recessed Ramp Door
- Rear Cornerpost Stabilizer Jacks
- Side Door with Flush Lock
- Flow-Thru Sidewall Vents
- Anodized Aluminum Bottom Panels
- ATP Stone Guard
- ATP Fenders
- Removable Chrome Wheel Chock(s)
- Floor Mounted D-Ring Tie-Downs
- Wall Mounted Tie-Offs
- 12 Volt Dome Lights (2)
- Wall Switch



Performance Begins Here

Every great adventure has a starting point and the Wells Cargo **cycleWagon® SE (Standard Edition)** is a smart place to begin your search for a performance driven motorcycle trailer. No bare bones or stripped down version here . . . the **SE Series** comes well-equipped with everything needed to transport and store your bikes with confidence & style. The **SE Series** means you never have to compromise or settle for anything less than real Wells Cargo quality.



Fiberglass End Caps



Standard SmartFrame™ Design*



Radius Roof & Extruded Cove



Standard SE Interior

MODELS & SIZES

MC162-8 SE





**Model
MC162-8 SE**

- MC101-5 SE (5'x10' - single axle)
- MC101-7 SE (7'x10' - single axle)
- MC121-6 SE (6'x12' - single axle)
- MC122-7 SE (7'x12' - tandem axle)
- MC122-8 SE (8'x12' - tandem axle)
- MC142-7 SE (7'x14' - tandem axle)
- MC142-8 SE (8'x14' - tandem axle)

- MC162-7 SE (7'x16' - tandem axle)
- MC162-8 SE (8'x16' - tandem axle)
- MC182-7 SE (7'x18' - tandem axle)
- MC182-8 SE (8'x18' - tandem axle)
- MC202-7 SE (7'x20' - tandem axle)
- MC202-8 SE (8'x20' - tandem axle)



WELLS CARGO
"Never Look Back" Warranty

MC101-5 SE



MC101-5 SE





TE Series Includes:

- Aerodynamic Nose Cone®
- Radius Roof with Extruded Anodized Aluminum Cove
- Exclusive Low-Profile Frame*
* Models 10' & 12' long only. Models over 12' have standard frame with 2' beavertail.
- Spring-Assisted Rear Recessed Ramp Door
- Rear Cornerpost Stabilizer Jacks
- Side Door with Flush Lock
- Flow-Thru Sidewall Vents
- Anodized Aluminum Bottom Panels
- ATP Stone Guard
- ATP Fenders
- Removable Chrome Wheel Chock(s)
- Floor Mounted D-Ring Tie-Downs
- Wall Mounted Tie-Offs
- 12 Volt Dome Lights (2)
- Wall Switch



MODELS & SIZES

Miles Ahead, No Match Behind!

If cookie-cutter trailers don't cut it with you, then the Wells Fargo **cycleWagon® TE (Touring Edition)** is your kind of motorcycle trailer. Outside, the aerodynamic Nose Cone® makes a strong first impression, plus it delivers superior handling and improved fuel economy. Inside, you'll find all the necessities for a first-class travel experience for your motorcycle. No worries. No hassles. This unique blend of form and function makes the **TE Series** the clear leader of the pack.



Aerodynamic Nose Cone®



Low-Profile Frame*



Radius Roof & Extruded Cove



Standard TE Interior

MC202-8 TE





**Model
MC101-5 TE**

- MC101-5 TE (5'x10' - single axle)
- MC101-7 TE (7'x10' - single axle)
- MC121-6 TE (6'x12' - single axle)
- MC122-7 TE (7'x12' - tandem axle)
- MC122-8 TE (8'x12' - tandem axle)
- MC142-7 TE (7'x14' - tandem axle)
- MC142-8 TE (8'x14' - tandem axle)

- MC162-7 TE (7'x16' - tandem axle)
- MC162-8 TE (8'x16' - tandem axle)
- MC182-7 TE (7'x18' - tandem axle)
- MC182-8 TE (8'x18' - tandem axle)
- MC202-7 TE (7'x20' - tandem axle)
- MC202-8 TE (8'x20' - tandem axle)



WELLS CARGO
"Never Look Back" Warranty

MC121-6 TE



5

MC122-7 TE *(featuring optional Signature Package)*



ME



Unleashing Your Freedom

When your travels take you beyond the commonplace, it helps to have a rugged, capable sidekick. The striking **cycleWagon® ME (MotorTrac® Edition)** is the perfect companion for conquering the badlands or cruising the strip. The **ME Series** offers a sleek, low-slung profile. The cast aluminum corner caps and stainless steel nose will stand out in any crowd. So if you prefer blazing a trail rather than following the herd, the Wells Cargo **ME Series** is the bold way to go.

ME Series Includes:

- Cast Aluminum Front & Rear Top Corners
- Polished Stainless Steel Front Cap
- Flat Roof with Extruded Anodized Aluminum Trim
- Seamless Aluminum Roof Mounted with Huck Fasteners
- Exclusive Low-Profile Frame*
* Models 10' & 12' long only. Models over 12' have standard frame with 2' beavertail.
- Spring-Assisted Rear Recessed Ramp Door
- Rear Cornerpost Stabilizer Jacks
- Side Door with Flush Lock
- Flow-Thru Sidewall Vents
- Anodized Aluminum Bottom Panels
- ATP Stone Guard
- ATP Fenders
- Removable Chrome Wheel Chock(s)
- Floor Mounted D-Ring Tie-Downs
- Wall Mounted Tie-Offs
- 2 Volt Dome Lights (2)
- Wall Switch



MODELS & SIZES




Cast Aluminum Front Cap



Low-Profile Frame*



Stainless Steel Front Cap



Flat Roof with Extruded Trim

MC122-7 ME (featuring optional Signature Package)





Model MC122-7 ME

(featuring optional Signature Package)

- MC101-5 ME (5'x10' - single axle)
- MC101-7 ME (7'x10' - single axle)
- MC121-6 ME (6'x12' - single axle)
- MC122-7 ME (7'x12' - tandem axle)
- MC122-8 ME (8'x12' - tandem axle)
- MC142-7 ME (7'x14' - tandem axle)
- MC142-8 ME (8'x14' - tandem axle)

- MC162-7 ME (7'x16' - tandem axle)
- MC162-8 ME (8'x16' - tandem axle)
- MC182-7 ME (7'x18' - tandem axle)
- MC182-8 ME (8'x18' - tandem axle)
- MC202-7 ME (7'x20' - tandem axle)
- MC202-8 ME (8'x20' - tandem axle)



WELLS CARGO
"Never Look Back" Warranty

MC101-5 ME (featuring optional Signature Package)



7

MC101-5 ME (featuring optional Signature Package)



Quality Construction Quality Control

Solid engineering delivers solid performance. Even though a motorcycle trailer may be considered a “recreational” trailer by some, the **cycleWagon®** has the same backbone and rugged heritage as our commercial grade trailers. You can tell by our advanced design, top-notch components, and detailed “fit & finish” that we’re serious about our position as the industry leader. This focus on quality means you’ll run out of adventures long before your **cycleWagon®** is ready to call it quits.




LED Stop/Tail/Turn Lights



Aluminum Anti-Rack Cam Lock



Rotary Style Flush Lock



Torflex® Rubber Suspension




SmartWire™ Technology (12V)



Wet Cell Battery to D.O.T. Standards




.030 Prefinished Aluminum Skin



White



Victory Red




Black




Pewter



Indigo Blue



Champagne



Brandywine



Beige



Charcoal Gray



Dove Gray



Dark Green

Skin colors shown are representative only. See your dealer for accurate samples.



Standard Features

Standard Features

- 1.) Removable Chrome Wheel Chock(s)
- 2.) Side Door with Flush Lock
- 3.) Flow-Thru Sidewall Vents
- 4.) Cornerpost Stabilizer Jacks
- 5.) Anodized Aluminum Bottom Panels, ATP Stone Guard & ATP Fenders
- 6.) Rear Ramp Door w/ Spring Assist
- 7.) Wall Mounted Tie-Down Rings
- 8.) Floor Mounted D-Ring Tie-Downs

UPGRADES

Flash Package

- Radius Side Door
- AlumaSport™ Wheels
- Rear End Covered in Anodized Aluminum
- Bonded Skin (*Smooth Exterior Sidewalls*)
- White Vinyl Interior Sidewalls & Ceiling
- Insulated Ceiling
- LED Safety Package
- Side Graphics

Convenience Package

- Spare Tire Carrier
- Spare Tire/Wheel with Cover
- Helmet Rack
- Tie-Down Holder
- Paper Towel Holder
- Flashlight Holder



Signature Package

- Radius Side Door
- AlumaSport™ Wheels
- Rear End Covered in Anodized Aluminum
- .040 Aluminum Exterior Skin (*Black & White only*)
- Bonded Skin (*Smooth Exterior Sidewalls*)
- White Vinyl Interior Sidewalls & Ceiling
- Insulated Ceiling
- Spare Tire Carrier
- Spare Tire/Wheel with Cover
- Helmet Rack
- Tie-Down Holder
- Paper Towel Holder
- Flashlight Holder
- LED Safety Package
- Side Graphics



Interior - Signature Package

SPECIFICATIONS

| SE | Number of Cycles | Low Profile Frame | Body: Width | Body: Length | Overall: Length | Overall: Width | Overall: Height | Interior: Length | Interior: Width | Interior: Height | Platform Height | Axle: Quantity | Axle: Type | Brakes |
|------------|------------------|-------------------|-------------|--------------|-----------------|----------------|-----------------|------------------|-----------------|------------------|-----------------|----------------|------------|--------|
| MC101-5 SE | 1 | No | 5'0" | 10'0" | 13'6" | 6'10" | 6'11" | 9'9" | 4'9" | 5'6" | 16" | 1 | 6" Drop | No |
| MC101-7 SE | 2 | No | 7'0" | 10'0" | 14'0" | 8'6" | 6'11 3/4" | 9'9" | 6'9" | 5'6" | 17" | 1 | 6" Drop | Yes |
| MC121-6 SE | 1 | No | 6'0" | 12'0" | 16'0" | 7'10" | 6'11" | 11'9" | 5'9" | 5'6" | 16" | 1 | 6" Drop | No |
| MC122-7 SE | 2 | No | 7'0" | 12'0" | 16'0" | 8'6" | 6'11 3/4" | 11'9" | 6'9" | 5'6" | 17" | 2 | 6" Drop | Yes |
| MC122-8 SE | 2 | No | 7'9" | 12'0" | 16'0" | 8'6" | 6'11 3/4" | 11'9" | 7'6" | 5'6" | 17" | 2 | 6" Drop | Yes |
| MC142-7 SE | 2 | No | 7'0" | 14'0" | 18'0" | 8'6" | 7'10" | 13'9" | 6'9" | 6'0" | 19" | 2 | 4" Drop | Yes |
| MC142-8 SE | 2 | No | 7'9" | 14'0" | 18'0" | 8'6" | 7'10" | 13'9" | 7'6" | 6'0" | 19" | 2 | 4" Drop | Yes |
| MC162-7 SE | 2 | No | 7'0" | 16'0" | 20'0" | 8'6" | 7'10" | 15'9" | 6'9" | 6'0" | 19" | 2 | 4" Drop | Yes |
| MC162-8 SE | 2 | No | 7'9" | 16'0" | 20'0" | 8'6" | 7'10" | 15'9" | 7'6" | 6'0" | 19" | 2 | 4" Drop | Yes |
| MC182-7 SE | 2 | No | 7'0" | 18'0" | 22'0" | 8'6" | 7'10" | 17'9" | 6'9" | 6'0" | 19" | 2 | 4" Drop | Yes |
| MC182-8 SE | 2 | No | 7'9" | 18'0" | 22'0" | 8'6" | 7'10" | 17'9" | 7'6" | 6'0" | 19" | 2 | 4" Drop | Yes |
| MC202-7 SE | 4 | No | 7'0" | 20'0" | 24'0" | 8'6" | 7'10" | 19'9" | 6'9" | 6'0" | 19" | 2 | 4" Drop | Yes |
| MC202-8 SE | 4 | No | 7'9" | 20'0" | 24'0" | 8'6" | 7'10" | 19'9" | 7'6" | 6'0" | 19" | 2 | 4" Drop | Yes |

| TE | Number of Cycles | Low Profile Frame | Body: Width | Body: Length | Overall: Length | Overall: Width | Overall: Height | Interior: Length | Interior: Width | Interior: Height | Platform Height | Axle: Quantity | Axle: Type | Brakes |
|------------|------------------|-------------------|-------------|--------------|-----------------|----------------|-----------------|------------------|-----------------|------------------|-----------------|----------------|------------|--------|
| MC101-5 TE | 1 | Yes | 5'0" | 10'0" | 14'0" | 6'10" | 6'11" | 9'8" | 4'8" | 5'9" | 12" | 1 | 6" Drop | No |
| MC101-7 TE | 2 | Yes | 7'0" | 10'0" | 14'0" | 8'6" | 6'11 3/4" | 9'8" | 6'8" | 5'9" | 13" | 1 | 6" Drop | Yes |
| MC121-6 TE | 1 | Yes | 6'0" | 12'0" | 16'0" | 7'10" | 6'11" | 11'8" | 5'8" | 5'9" | 12" | 1 | 6" Drop | No |
| MC122-7 TE | 2 | Yes | 7'0" | 12'0" | 16'0" | 8'6" | 6'11 3/4" | 11'8" | 6'8" | 5'9" | 13" | 2 | 6" Drop | Yes |
| MC122-8 TE | 2 | Yes | 7'9" | 12'0" | 16'0" | 8'6" | 6'11 3/4" | 11'8" | 7'5" | 5'9" | 13" | 2 | 6" Drop | Yes |
| MC142-7 TE | 2 | No | 7'0" | 14'0" | 18'0" | 8'6" | 7'10" | 13'9" | 6'9" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC142-8 TE | 2 | No | 7'9" | 14'0" | 18'0" | 8'6" | 7'10" | 13'9" | 7'6" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC162-7 TE | 2 | No | 7'0" | 16'0" | 20'0" | 8'6" | 7'10" | 15'9" | 6'9" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC162-8 TE | 2 | No | 7'9" | 16'0" | 20'0" | 8'6" | 7'10" | 15'9" | 7'6" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC182-7 TE | 2 | No | 7'0" | 18'0" | 22'0" | 8'6" | 7'10" | 17'9" | 6'9" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC182-8 TE | 2 | No | 7'9" | 18'0" | 22'0" | 8'6" | 7'10" | 17'9" | 7'6" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC202-7 TE | 4 | No | 7'0" | 20'0" | 24'0" | 8'6" | 7'10" | 19'9" | 6'9" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC202-8 TE | 4 | No | 7'9" | 20'0" | 24'0" | 8'6" | 7'10" | 19'9" | 7'6" | 6'0" | 17" | 2 | 4" Drop | Yes |

| ME | Number of Cycles | Low Profile Frame | Body: Width | Body: Length | Overall: Length | Overall: Width | Overall: Height | Interior: Length | Interior: Width | Interior: Height | Platform Height | Axle: Quantity | Axle: Type | Brakes |
|------------|------------------|-------------------|-------------|--------------|-----------------|----------------|-----------------|------------------|-----------------|------------------|-----------------|----------------|------------|--------|
| MC101-5 ME | 1 | Yes | 5'0" | 10'0" | 14'0" | 6'10" | 6'8" | 9'8" | 4'8" | 5'3" | 12" | 1 | 6" Drop | No |
| MC101-7 ME | 2 | Yes | 7'0" | 10'0" | 14'0" | 8'6" | 6'10" | 9'8" | 6'8" | 5'3" | 13" | 1 | 6" Drop | Yes |
| MC121-6 ME | 1 | Yes | 6'0" | 12'0" | 16'0" | 7'10" | 6'8" | 11'8" | 5'8" | 5'3" | 12" | 1 | 6" Drop | No |
| MC122-7 ME | 2 | Yes | 7'0" | 12'0" | 16'0" | 8'6" | 6'10" | 11'8" | 6'8" | 5'3" | 13" | 2 | 6" Drop | Yes |
| MC122-8 ME | 2 | Yes | 7'9" | 12'0" | 16'0" | 8'6" | 6'10" | 11'8" | 7'5" | 5'3" | 13" | 2 | 6" Drop | Yes |
| MC142-7 ME | 2 | No | 7'0" | 14'0" | 18'0" | 8'6" | 7'10" | 13'9" | 6'9" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC142-8 ME | 2 | No | 7'9" | 14'0" | 18'0" | 8'6" | 7'10" | 13'9" | 7'6" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC162-7 ME | 2 | No | 7'0" | 16'0" | 20'0" | 8'6" | 7'10" | 15'9" | 6'9" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC162-8 ME | 2 | No | 7'9" | 16'0" | 20'0" | 8'6" | 7'10" | 15'9" | 7'6" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC182-7 ME | 2 | No | 7'0" | 18'0" | 22'0" | 8'6" | 7'10" | 17'9" | 6'9" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC182-8 ME | 2 | No | 7'9" | 18'0" | 22'0" | 8'6" | 7'10" | 17'9" | 7'6" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC202-7 ME | 4 | No | 7'0" | 20'0" | 24'0" | 8'6" | 7'10" | 19'9" | 6'9" | 6'0" | 17" | 2 | 4" Drop | Yes |
| MC202-8 ME | 4 | No | 7'9" | 20'0" | 24'0" | 8'6" | 7'10" | 19'9" | 7'6" | 6'0" | 17" | 2 | 4" Drop | Yes |

Specifications and features subject to change without notice.

| Suspension | Radial Tire Size | Load Range | Wheel Bolt Pattern | Hitch Ball Size | Hitch to Top of Ball | Hitch Weight | Curb Weight (lb.) | GVWR | Average Payload Capacity | Ramp Door: Width | Ramp Door: Height | Side Door: Width | Side Door: Height | Tie-Downs: Wall | Tie-Downs: Floor | 12V Trailer End Connector |
|------------|------------------|------------|--------------------|-----------------|----------------------|--------------|-------------------|------|--------------------------|------------------|-------------------|------------------|-------------------|-----------------|------------------|---------------------------|
| Torflex® | 15" | C | 5-Bolt/4.5 | 2" | 18" | 10-15% | 995 | 2200 | 1205 | 52" | 57" | 30" | 57" | 2 | 4 | 4-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2" | 19" | 10-15% | 1500 | 3850 | 2350 | 76" | 57" | 30" | 57" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2" | 18" | 10-15% | 1420 | 2990 | 1570 | 64" | 57" | 30" | 57" | 2 | 4 | 4-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 19" | 10-15% | 2110 | 5900 | 3790 | 76" | 57" | 30" | 57" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 19" | 10-15% | 2220 | 5900 | 3680 | 85" | 57" | 30" | 57" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2330 | 7000 | 4670 | 76" | 63" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2440 | 7000 | 4560 | 85" | 63" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2510 | 7000 | 4490 | 76" | 63" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2620 | 7000 | 4380 | 85" | 63" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2650 | 7000 | 4350 | 76" | 63" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2760 | 7000 | 4240 | 85" | 63" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2750 | 7000 | 4250 | 76" | 63" | 30" | 63" | 8 | 16 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2860 | 7000 | 4140 | 85" | 63" | 30" | 63" | 8 | 16 | 7-way |

| Suspension | Radial Tire Size | Load Range | Wheel Bolt Pattern | Hitch Ball Size | Hitch to Top of Ball | Hitch Weight | Curb Weight (lb.) | GVWR | Average Payload Capacity | Ramp Door: Width | Ramp Door: Height | Side Door: Width | Side Door: Height | Tie-Downs: Wall | Tie-Downs: Floor | 12V Trailer End Connector |
|------------|------------------|------------|--------------------|-----------------|----------------------|--------------|-------------------|------|--------------------------|------------------|-------------------|------------------|-------------------|-----------------|------------------|---------------------------|
| Torflex® | 15" | C | 5-Bolt/4.5 | 2" | 18" | 10-15% | 1120 | 2200 | 1080 | 52" | 61" | 30" | 57" | 2 | 4 | 4-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2" | 19" | 10-15% | 1550 | 3850 | 2300 | 76" | 61" | 30" | 57" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2" | 18" | 10-15% | 1460 | 2990 | 1530 | 64" | 61" | 30" | 57" | 2 | 4 | 4-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 19" | 10-15% | 2160 | 5900 | 3740 | 76" | 61" | 30" | 57" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 19" | 10-15% | 2270 | 5900 | 3630 | 85" | 61" | 30" | 57" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2380 | 7000 | 4620 | 76" | 66" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2490 | 7000 | 4510 | 85" | 66" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2560 | 7000 | 4440 | 76" | 66" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2670 | 7000 | 4330 | 85" | 66" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2700 | 7000 | 4300 | 76" | 66" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2810 | 7000 | 4190 | 85" | 66" | 30" | 63" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2800 | 7000 | 4200 | 76" | 66" | 30" | 63" | 8 | 16 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2910 | 7000 | 4090 | 85" | 66" | 30" | 63" | 8 | 16 | 7-way |

| Suspension | Radial Tire Size | Load Range | Wheel Bolt Pattern | Hitch Ball Size | Hitch to Top of Ball | Hitch Weight | Curb Weight (lb.) | GVWR | Average Payload Capacity | Ramp Door: Width | Ramp Door: Height | Side Door: Width | Side Door: Height | Tie-Downs: Wall | Tie-Downs: Floor | 12V Trailer End Connector |
|------------|------------------|------------|--------------------|-----------------|----------------------|--------------|-------------------|------|--------------------------|------------------|-------------------|------------------|-------------------|-----------------|------------------|---------------------------|
| Torflex® | 15" | C | 5-Bolt/4.5 | 2" | 18" | 10-15% | 1155 | 2200 | 1045 | 52" | 60" | 30" | 56" | 2 | 4 | 4-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2" | 19" | 10-15% | 1600 | 3850 | 2250 | 76" | 60" | 30" | 56" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2" | 18" | 10-15% | 1505 | 2990 | 1485 | 64" | 60" | 30" | 56" | 2 | 4 | 4-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 19" | 10-15% | 2225 | 5900 | 3675 | 76" | 60" | 30" | 56" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 19" | 10-15% | 2340 | 5900 | 3560 | 85" | 60" | 30" | 56" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2455 | 7000 | 4545 | 76" | 71" | 30" | 69" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2570 | 7000 | 4430 | 85" | 71" | 30" | 69" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2640 | 7000 | 4360 | 76" | 71" | 30" | 69" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2755 | 7000 | 4245 | 85" | 71" | 30" | 69" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2785 | 7000 | 4215 | 76" | 71" | 30" | 69" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2900 | 7000 | 4100 | 85" | 71" | 30" | 69" | 4 | 8 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2890 | 7000 | 4110 | 76" | 71" | 30" | 69" | 8 | 16 | 7-way |
| Torflex® | 15" | C | 5-Bolt/4.5 | 2 5/16" | 18" | 10-15% | 2995 | 7000 | 4005 | 85" | 71" | 30" | 69" | 8 | 16 | 7-way |

Wells Cargo and Our Legacy of Engineering Leadership



Many people say that all enclosed trailers look pretty much alike. We consider that a compliment since it was Wells Cargo who pioneered the industry over 50 years ago. State-of-the-art takes on a whole new meaning when you compare the first trailer we built in 1954 with our product line today. Old "No. 1" looked pretty good back then, but we've come a long way since. Experience has made the difference and ours is unmatched. Our Research & Development facilities keep us the frontrunners of the industry. After thorough evaluation and comparison, we think you'll agree that Wells Cargo has earned our long standing reputation as the premium cargo trailer on the market and the best overall investment.

Rest assured that after you make the decision to buy a Wells Cargo, our commitment to you is not over. Our comprehensive 6-Year "Never Look Back" Warranty Program is more than just words. It's about how quickly and responsibly we respond to your needs. It's the peace-of-mind you get knowing your investment is protected by an established company with a solid reputation. If our work or materials are at fault, we'll make it right. Any one of our six manufacturing facilities or our national network of professional dealers stand ready to service your trailer should the unlikely need arise.



More Great Trailers

For **WORK**, durable Wells Cargo trailers are used every day by Contractors, Landscapers, Fire Departments, Utility Companies, Heavy and Light Industry; anywhere value of investment is critical.

For **FUN**, you'll see Wells Cargo trailers carrying race cars, collector cars, snowmobiles, motorcycles, ATV's, antiques, and recreational/sporting equipment; anywhere reliable service and carefree towing is a must. You'll see Wells Cargo trailers pulled by big trucks, little trucks, passenger cars, and motorhomes.

You'll find Wells Cargo trailers in almost any situation requiring dependable, economical transportation and storage.



AUTHORIZED WELLS CARGO DEALER



©Wells Cargo, Inc. 2004 Form MC204

(800) 348-7553

www.wellscargo.com

**Elkhart, IN
Carbondale, PA**

**Waco, TX
Phoenix, AZ**

**Ogden, UT
Waycross, GA**